



Functional Group:

Products: Manifolds: Line Mount: Check: 2 Port: Ninety Degree

Model: **DAU**



Face: 6



Port Headings and Sizes

DAU All Ports

3/8" BSPP

Technical Data

	U.S. Units	Metric Units	
Cavity	T-5A		
Body Features	Ninety	Ninety degree	
Body Type	Line	Line mount	
Interface	No	None	
Open Cavity Quantity		1	
Mounting Hole Diameter	.42 in.	10,7 mm	
Mounting Hole Depth	Thr	Through	
Mounting Hole Quantity		1	
Model Weight	0.58 lb.	0.26 kg.	

Option Selection

U.S. Dollar

Aluminum Body Pressure Rating: **3000 psi (210 bar)**Ductile Iron Body Pressure Rating: **5000 psi (350 bar)**

Model Code Description

DAU Aluminum, Buna-N, U.S. Units DAU/S Ductile Iron, Buna-N, U.S. Units

Special Notes

• Important: Please carefully consider the maximum system pressure to which the manifold will be exposed. The pressure rating of the manifold is dependent on the manifold material, with the port type and sizing a secondary consideration. For example, manifolds constructed of aluminum are not rated for system pressures higher than 3000 psi (210 bar), regardless of the port type and size specified.

Copyright © 2002-2012 Sun Hydraulics Corporation. All rights reserved. Terms and Conditions - ISO Certification - Statement of Privacy